

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S10 9	1	protocol\$4 near10 defin\$6 near10 identify\$4 near10 device\$4 near10 type\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/03 13:26
S11 0	6	"6816719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 15:49
S11 1	239	device\$4 near10 type\$1 near10 header\$4 near10 packet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 15:50
S11 2	6	device\$4 near10 type\$1 near10 header\$4 near10 packet\$4 and "709".clas. and @ad<"20000211"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 15:52
S11 3	52	device\$4 near10 type\$1 near10 header\$4 near10 packet\$4 and @ad<"20000211"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 15:56
S11 4	38	device\$4 near3 type\$1 near10 header\$4 and "709".clas. and @ad<"20000211"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 16:19
S11 5	208	device\$4 near3 type\$1 near10 header\$4 and @ad<"20000211"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 16:19
S11 6	65	device\$4 adj type\$1 near10 header\$4 and @ad<"20000211"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 16:23
S11 7	45	device\$4 adj type\$1 near10 header\$4 and @ad<"20000211" not S114	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 16:35

EAST Search History

S11 8	0	client near5 device\$4 adj type\$1 same header\$4 and @ad<"20000211"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 16:29
S11 9	137	device\$4 adj type\$1 near10 protocol\$4 and @ad<"20000211"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 16:30
S12 0	41	device\$4 adj type\$1 near10 protocol\$4 and "709".clas. and @ad<"20000211"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 16:31
S12 1	186	element\$4 near10 device\$4 near10 header\$4 and @ad<"20000211" not S114	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 16:35
S12 2	7	element\$4 near10 device\$4 near10 header\$4 and @ad<"20000211" not S114 and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 16:36
S12 3	57	protocol\$4 near10 device\$4 near10 header\$4 and @ad<"20000211" not S114 and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 16:37
S12 4	14	(type\$4 capabilit\$4 vendor\$4) near10 device\$4 near10 header\$4 and @ad<"20000211" not S114 and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 16:41
S12 5	5	wireless near10 device\$4 near10 type\$4 near10 header\$4 and @ad<"20000211" not S114 and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 16:41
S12 6	7	wireless near10 device\$4 near10 type\$4 near10 header\$4 and @ad<"20000211" not S114	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 16:44
S12 7	4	wireless near10 device\$4 near10 type\$4 same header\$4 and @ad<"20000211" not S126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 16:44

EAST Search History

S12 8	6	wireless same device\$4 near10 type\$4 same header\$4 and @ad<"20000211" not S126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 16:44
S12 9	2	wireless same device\$4 near5 type\$4 same header\$4 and @ad<"20000211" not S126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 19:47
S13 0	945	device\$4 near5 type\$4 same header\$4 and @ad<"20000211" not S126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 16:45
S13 1	283	device\$4 near type\$4 same header\$4 and @ad<"20000211" not S126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 16:45
S13 2	9	device\$4 near type\$4 same header\$4 and @ad<"20000211" not S126 and wireless\$4 near10 protocol\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 16:51
S13 3	0	device\$4 near type\$4 same wireless\$4 near10 header\$4 and @ad<"20000211" not S126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 16:54
S13 4	449	device\$4 near type\$4 same wireless\$4 and @ad<"20000211" not S126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 16:54
S13 5	153	device\$4 near type\$4 near10 wireless\$4 and @ad<"20000211" not S126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 16:55
S13 6	208	device\$4 near type\$4 with wireless\$4 and @ad<"20000211" not S126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 16:54
S13 7	14	device\$4 near type\$4 near10 wireless\$4 and @ad<"20000211" not S126 and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 16:55

EAST Search History

S13 8	5	request\$4 near10 wireless near10 device near5 type\$4 and @ad<"20000211" not S126 and "709". clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 16:56
S13 9	5	request\$4 near10 wireless near10 device near type\$4 and @ad<"20000211" not S126 and "709". clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 16:56
S14 0	19	request\$4 near10 wireless near10 device near type\$4 and @ad<"20000211" not S126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 17:00
S14 1	3072631	insert\$4 device near type\$4 near10 header\$4 and @ad<"20000211" not S126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 17:03
S14 2	2	insert\$4 near10 device near type\$4 near10 header\$4 and @ad<"20000211" not S126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 17:04
S14 3	15	transport near10 protocol\$4 near10 device near10 type\$4 and @ad<"20000211" not S126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 17:08
S14 4	4	(wireless\$4 near10 application\$4 near10 protocol\$4 WAP) near10 device near type\$4 and @ad<"20000211" not S126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 17:09
S14 5	5	(wireless\$4 near10 application\$4 near10 protocol\$4 WAP) with device near3 type\$4 and @ad<"20000211" not S126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 17:10
S14 6	460	(wireless\$4) with device near3 type\$4 and @ad<"20000211" not S126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 17:10
S14 7	129	(wireless\$4) with device near type\$4 and @ad<"20000211" not S126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 17:10

EAST Search History

S14 8	12	(wireless\$4) with device near type\$4 and @ad<"20000211" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 17:11
S14 9	24	"6049281"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 17:14
S15 0	80	"6049821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 17:14
S15 1	2	"6049821".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 19:21
S15 2	54	"6119137"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 19:22
S15 3	1	conver\$4 near10 wap near10 http same device near10 capabilit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 19:28
S15 4	3	conver\$4 near10 wap near10 http same device near10 type\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 19:29
S15 5	4	insert\$4 with device near type\$4 with header\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 19:29
S15 6	3	insert\$4 with device adj type\$4 with header\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 19:30
S15 7	62	protocol\$4 same device adj type\$4 with header\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 19:30

EAST Search History

S15 8	32	protocol\$4 same device adj type\$4 with header\$4 and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 19:31
S15 9	99	"5818603"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 19:32
S16 0	2	"5818603".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 19:32
S16 1	76	("6049821").URPN.	USPAT	OR	OFF	2007/04/16 19:32
S16 2	21	("6049821").URPN. and device\$4 near type\$4	USPAT	OR	OFF	2007/04/16 19:33
S16 3	0	wireless same (requester requestor) near5 type\$4 same header\$4 and @ad<"20000211"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 19:47
S16 4	0	wireless same (requester requestor) near5 capabilit\$4 same header\$4 and @ad<"20000211"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 19:47
S16 5	10	"6674767"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 19:50
S16 6	290	table\$4 near10 device near5 type\$4 near10 address\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 19:52
S16 7	14	("5416917" "5535375" "5771459" "5848415" "5911776" "5951645" "6044088" "6097797" "6310888" "6333919" "6339795" "6356529" "6453356" "6526026").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/04/16 19:52
S16 8	129	determiN\$4 near10 device near5 type\$4 near10 address\$4 and @ad<"19991004"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 19:52

EAST Search History

S16 9	17	determiN\$4 near10 device near5 type\$4 near10 address\$4 and @ad<"19991004" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 19:53
S17 0	1	determiN\$4 near10 device near5 capabilit\$4 near10 address\$4 and @ad<"19991004" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 19:53
S17 1	6	"6816719"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/03 19:10
S17 2	221	device\$4 adj type\$1 near10 header\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/03 19:10
S17 3	20	"6216157"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/03 19:13
S17 4	16	"6343318"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/03 19:18
S17 6	2	"6049821".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/03 19:26
S17 7	541	(TCP UDP) near10 type\$4 near10 device\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/03 19:27
S17 8	158	(TCP UDP) near10 type\$4 near10 device\$4 and @ad<"20000211"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/03 19:28
S17 9	41	(TCP UDP) near10 type\$4 near10 device\$4 and @ad<"20000211" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/03 19:41

EAST Search History

S18 0	6	device adj type\$1 near10 appletalk	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/04 08:08
S18 1	590	device adj type\$1 near10 protocol\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/04 08:08
S18 2	126	device adj type\$1 near10 protocol\$4 and @ad<"20000211"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/04 08:09
S18 3	40	device adj type\$1 near10 protocol\$4 and @ad<"20000211" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/04 08:19
S18 4	24	device adj type\$1 near10 protocol\$4 and @ad<"20000211" and "370".clas. not S183	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/04 08:27
S18 5	5	device near5 type\$1 near10 transport\$4 near5 protocol\$4 and @ad<"20000211"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/04 08:27
S18 6	82	"6049821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/04 08:31